

JASMINE

TECHNICAL DESCRIPTION

2629 STS 00659

Movement	Mechanical – RW2000
Winding	Automatic
Power reserve	38 hours
Jewels	25 rubies
Functions	Hours, minutes and seconds
Date	Round window at 3 o'clock
Case	Round – Polished steel set with 28 diamonds Diameter: 29mm Thickness: 9.6mm
Crown	Fluted steel with blue sapphire dome
Crystal	Sapphire crystal with dual-sided antiglare treatment
Dial	Silver, snailed central décor
Indexes	Black transferred Roman numerals
Hands:	Blued steel type, leaf-shaped
Case back	Sapphire crystal
Bracelet	Polished steel with folding RW clasp with double push-piece security system
Water resistance	5 ATM

JASMINE

TECHNICAL DESCRIPTION

2935 S5 00659

Movement	Mechanical – RW4200
Winding	Automatic
Power reserve	38 hours
Jewels	26 rubies
Functions	Hours, minutes and seconds
Date	Round window at 3 o'clock
Case	Round – Polished steel Diameter: 35mm Thickness: 9.7mm
Crown	Fluted in rose gold PVD 5N with blue sapphire dome
Crystal	Sapphire crystal with dual-sided antiglare treatment
Dial	Silver, snailed central décor
Indexes	Black transferred Roman numerals
Hands:	Blued steel type, leaf-shaped
Case back	Sapphire crystal
Bracelet	Two-tone polished steel and rose gold PVD 5N. Folding RW clasp with double push-piece security system
Water-resistance	5 ATM

JASMINE

TECHNICAL DESCRIPTION

5235 STS 00659

Movement	Quartz
Jewels	7 rubies
Functions	Hours, minutes
Date	Round window at 3 o'clock
Case	Round – Polished steel set with 29 diamonds Diameter: 35mm Thickness: 7.9mm
Crown	Fluted steel with blue sapphire dome
Crystal	Sapphire crystal with dual-sided antiglare treatment
Dial	Silver, snailed central décor
Indexes	Black transferred Roman numerals
Hands:	Blued steel type, leaf-shaped
Case back	Sapphire crystal
Bracelet	Polished steel with folding RW clasp with double push-piece security system
Water resistance	5 ATM

JASMINE

TECHNICAL DESCRIPTION

2935 PCS 00659

Movement	Mechanical – RW4200
Winding	Automatic
Power reserve	38 hours
Jewels	26 rubies
Functions	Hours, minutes and seconds
Date	Round window at 3 o'clock
Case	Round – Rose gold PVD 5N set with 29 diamonds Diameter: 35mm Thickness: 9.7mm
Crown	Fluted rose gold PVD 5N with blue sapphire dome
Crystal	Sapphire crystal with dual-sided antiglare treatment
Dial	Silver, snailed central décor
Indexes	Black transferred Roman numerals
Hands:	Blued steel type, leaf-shaped
Case back	Sapphire crystal
Strap	Black, full skin, saddle-stitched alligator, equipped with a rose gold PVD 5N folding RW clasp with double push-piece security system
Water-resistance	5 ATM