

## MAESTRO LADY

### TECHNICAL DESCRIPTION

2627 SLS 00965

Movement	Mechanical – RW2000
Winding	Automatic
Power reserve	38 hours
Jewels	25 rubies
Functions	Hours, minutes and seconds
Case	Round – polished steel  Diameter 30mm Thickness 8,65mm
Bezel	Polished steel set with 76 diamonds
Crown	With blue sapphire dome
Crystal	Sapphire crystal with dual-sided antiglare treatment
Dial	White mother-of-pearl, central zone guilloché effect, Visible balance wheel at 12 o'clock
Indexes	5 diamonds and applique Roman numerals
Hands	Steel type, in the most classical watchmaking style
Case back	Sapphire crystal
Strap	Full skin, saddle stitched alligator with polished steel ardillon buckle (available in different colors)
Water-resistance	5 ATM

## 2627 STC 00994

Movement	Mechanical – RW2000
Winding	Automatic
Power reserve	38 hours
Jewels	25 rubies
Functions	Hours, minutes and seconds
Case	Round – polished steel  Diameter 30mm Thickness 8,65mm
Crown	With blue sapphire dome
Crystal	Sapphire crystal with dual-sided antiglare treatment
Dial	White mother-of-pearl, central zone guilloche effect, visible balance wheel at 12 o'clock
Indexes	7 diamonds and black Roman numerals
Hands	Steel type, in the most classical watchmaking style
Case back	Sapphire crystal
Strap	Full skin, saddle stitched alligator with polished steel ardillon buckle (available in different colors)
Water-resistance	5 ATM

2637 SLS 00966

Movement	Mechanical – RW2000
Winding	Automatic
Power reserve	38 hours
Jewels	25 rubies
Functions	Hours, minutes and seconds
Date	Square window at 3 o'clock
Case	Round – polished steel  Diameter 30mm Thickness 8,65mm
Bezel	Polished steel with 76 diamonds
Crown	With blue sapphire dome
Crystal	Sapphire crystal with dual-sided antiglare treatment
Dial	White mother-of-pearl, central zone guilloché effect
Indexes	6 diamonds and applique Roman numerals
Hands	Steel type, in the most classical watchmaking style
Case back	Sapphire crystal
Strap	Full skin saddle stitched alligator with polished steel ardillon buckle (available in different colors)
Water-resistance	5 ATM